

nr. Paczki	rodzaj	grubość	szerokość	długość	szt.	m3	klasa
114053	RW	45	120	2400	88	1,14	C24
118865	RW	45	170	2400	66	1,212	C24
126271	WW	45	245	2400	44	1,164	C24
138345	WW	45	120	4200	88	1,996	C24
138347	WW	45	120	4200	88	1,996	C24
138348	WW	45	120	4200	88	1,996	C24
141805	RW	45	120	2400	88	1,14	C24
141806	WW	45	120	2400	88	1,14	C24
141897	RW	45	170	2400	66	1,212	C24
142487	WW	45	170	2400	120	2,203	C24
142488	WW	45	170	2400	120	2,203	C24
142489	WW	45	170	2400	120	2,203	C24
142490	WW	45	170	2400	33	0,606	C24
142492	WW	45	245	2400	29	0,767	C24
142530	WW	45	120	2400	160	2,074	C24
142532	WW	45	120	2400	74	0,959	C24
142552	RW	45	170	2400	116	2,13	C24
142580	RW	45	120	2400	140	1,814	C24
142692	WW	45	120	4200	88	1,996	C24
142698	WW	45	120	4200	88	1,996	C24
142699	WW	45	120	4200	88	1,996	C24
142705	WW	45	120	4200	88	1,996	C24
142707	WW	45	120	4200	88	1,996	C24
142975	WW	45	145	5400	77	2,713	C24
144211	WW	45	145	5400	77	2,713	C24
144212	WW	45	145	5400	77	2,713	C24
144213	WW	45	145	5400	77	2,713	C24
144215	WW	45	145	5400	77	2,713	C24
144216	WW	45	145	5400	77	2,713	C24
14741	WW	45	145	4200	31	0,85	C24
14742	WW	45	145	3600	2	0,047	C24
14743	WW	45	145	3000	1	0,02	C24
144220	WW	45	145	4800	77	2,412	C24
144224	WW	45	145	5400	77	2,713	C24
144429	WW	45	170	2400	109	2,001	C24
144473	WW	45	120	2400	74	0,959	C24
144903	WW	45	120	4200	88	1,996	C24
144904	WW	45	120	4200	88	1,996	C24
145129	WW	45	95	4200	121	2,173	C24
145130	WW	45	95	4200	121	2,173	C24
147123	WW	45	145	5400	77	2,713	C24
147124	WW	45	145	5400	77	2,713	C24
147125	WW	45	145	5400	77	2,713	C24
147126	WW	45	145	5400	77	2,713	C24
147127	WW	45	145	5400	77	2,713	C24
147128	WW	45	145	5400	77	2,713	C24
147129	WW	45	145	5400	77	2,713	C24

147130	WW	45	145	5400	77	2,713	C24
147131	WW	45	145	5400	77	2,713	C24
147132	WW	45	145	5400	77	2,713	C24
147133	WW	45	145	5400	77	2,713	C24
147134	WW	45	145	5400	77	2,713	C24
147135	WW	45	145	5400	77	2,713	C24
147136	WW	45	145	5400	77	2,713	C24
147137	WW	45	145	5400	77	2,713	C24
147144	WW	45	145	5400	77	2,713	C24
147145	WW	45	145	5400	77	2,713	C24
147146	WW	45	145	5400	77	2,713	C24
147147	WW	45	145	5400	77	2,713	C24
147148	WW	45	145	5400	77	2,713	C24
147149	WW	45	145	5400	77	2,713	C24
147150	WW	45	145	5400	77	2,713	C24
147151	WW	45	145	5400	77	2,713	C24
147152	WW	45	145	5400	77	2,713	C24
147153	WW	45	145	5400	77	2,713	C24
147154	WW	45	145	5400	77	2,713	C24
147155	WW	45	145	5400	77	2,713	C24
147156	WW	45	145	5400	77	2,713	C24
147237	WW	45	95	3600	121	1,862	C24
147238	WW	45	95	3600	121	1,862	C24
147239	WW	45	95	3600	121	1,862	C24
147240	WW	45	95	3600	121	1,862	C24
147241	WW	45	95	3600	121	1,862	C24
147242	WW	45	95	3600	121	1,862	C24
147243	WW	45	95	3600	121	1,862	C24
147244	WW	45	95	3600	121	1,862	C24
147245	WW	45	95	3600	121	1,862	C24
147267	WW	45	95	4200	121	2,173	C24
147268	WW	45	95	4200	121	2,173	C24
147269	WW	45	95	4200	121	2,173	C24
147272	WW	45	95	4200	121	2,173	C24
147274	WW	45	95	4200	121	2,173	C24
147275	WW	45	95	4200	121	2,173	C24
147276	WW	45	95	4200	121	2,173	C24
147431	RW	45	120	4200	88	1,996	C24
147433	RW	45	120	4200	88	1,996	C24
147436	RW	45	120	4200	88	1,996	C24
147438	RW	45	120	4200	88	1,996	C24
147487	WW	45	95	3600	121	1,862	C24
147510	WW	45	120	4200	88	1,996	C24
147511	WW	45	120	4200	88	1,996	C24
147512	WW	45	120	4200	88	1,996	C24
147513	WW	45	120	4200	88	1,996	C24
147514	WW	45	120	4200	88	1,996	C24
147515	WW	45	120	4200	88	1,996	C24

147516	WW	45	120	4200	88	1,996	C24
147517	WW	45	120	4200	88	1,996	C24
147519	WW	45	120	4200	88	1,996	C24
147586	RW	45	120	4200	88	1,996	C24
147587	RW	45	120	4200	88	1,996	C24
147674	RW	45	120	2400	88	1,14	C24
148009	RW	45	120	4200	88	1,996	C24
148010	RW	45	120	4200	88	1,996	C24
148011	RW	45	120	4200	88	1,996	C24
148012	RW	45	120	4200	88	1,996	C24
148013	RW	45	120	4200	88	1,996	C24
148014	RW	45	120	4200	88	1,996	C24
148015	RW	45	120	4200	88	1,996	C24
148017	RW	45	120	4200	88	1,996	C24
148261	WW	45	120	4200	88	1,996	C24
148826	WW	45	120	4200	88	1,996	C24
150301	WW	45	145	4200	77	2,11	C24
150302	WW	45	145	4200	77	2,11	C24
150303	WW	45	145	4200	77	2,11	C24
150304	WW	45	145	4200	77	2,11	C24
150318	WW	45	145	4200	77	2,11	C24
150319	WW	45	145	4200	77	2,11	C24
150320	WW	45	145	4200	77	2,11	C24
150321	WW	45	145	4200	77	2,11	C24
150322	WW	45	145	4200	77	2,11	C24
150323	WW	45	145	4200	77	2,11	C24
150324	WW	45	145	4200	77	2,11	C24
150325	WW	45	145	4200	77	2,11	C24
150326	WW	45	145	4200	77	2,11	C24
150327	WW	45	145	4200	77	2,11	C24
150328	WW	45	145	4200	77	2,11	C24
150332	WW	45	145	4200	77	2,11	C24
150333	WW	45	145	4200	77	2,11	C24
150334	WW	45	145	4200	77	2,11	C24
150336	WW	45	145	4200	77	2,11	C24
150338	WW	45	145	4200	77	2,11	C24
150340	WW	45	145	4200	77	2,11	C24
150369	WW	45	145	5400	77	2,713	C24
150370	WW	45	145	5400	77	2,713	C24
150371	WW	45	145	5400	77	2,713	C24
150372	WW	45	145	5400	77	2,713	C24
150373	WW	45	145	5400	77	2,713	C24
150374	WW	45	145	5400	77	2,713	C24
150375	WW	45	145	5400	77	2,713	C24
150376	WW	45	145	5400	77	2,713	C24
150377	WW	45	145	5400	77	2,713	C24
150378	WW	45	145	5400	77	2,713	C24
150379	WW	45	145	5400	77	2,713	C24

150380	WW	45	145	5400	77	2,713	C24
150381	WW	45	145	5400	77	2,713	C24
150382	WW	45	145	5400	77	2,713	C24
150384	WW	45	145	5400	77	2,713	C24
150385	WW	45	145	5400	77	2,713	C24
150386	WW	45	145	5400	77	2,713	C24
150387	WW	45	145	5400	77	2,713	C24
150388	WW	45	145	5400	77	2,713	C24
150392	WW	45	170	2400	66	1,212	C24
151517	WW	45	145	4200	77	2,11	C24
151518	WW	45	145	4200	77	2,11	C24
151519	WW	45	145	4200	77	2,11	C24
151520	WW	45	145	4200	77	2,11	C24
151524	WW	45	145	4200	77	2,11	C24
151536	WW	45	145	5400	77	2,713	C24
151537	WW	45	145	5400	77	2,713	C24
151538	WW	45	145	5400	77	2,713	C24
151540	WW	45	145	5400	77	2,713	C24
151541	WW	45	145	5400	77	2,713	C24
151542	WW	45	145	5400	77	2,713	C24
151543	WW	45	145	5400	77	2,713	C24
151544	WW	45	145	5400	77	2,713	C24
151545	WW	45	145	5400	77	2,713	C24
151546	WW	45	145	5400	77	2,713	C24
151547	WW	45	145	5400	77	2,713	C24
151548	WW	45	145	5400	77	2,713	C24
151549	WW	45	145	5400	77	2,713	C24
151550	WW	45	145	5400	77	2,713	C24
151551	WW	45	145	5400	77	2,713	C24
151552	WW	45	145	5400	77	2,713	C24
151553	WW	45	145	5400	77	2,713	C24
151554	WW	45	145	5400	77	2,713	C24
151555	WW	45	145	5400	77	2,713	C24
151556	WW	45	145	5400	77	2,713	C24
151558	WW	45	145	5400	77	2,713	C24
151559	WW	45	145	5400	77	2,713	C24
151560	WW	45	145	5400	77	2,713	C24
151561	WW	45	145	5400	77	2,713	C24
151562	WW	45	145	5400	77	2,713	C24
151615	WW	45	220	4800	55	2,614	C24
151617	WW	45	220	4800	55	2,614	C24
151618	WW	45	220	4800	55	2,614	C24
151619	WW	45	220	4800	55	2,614	C24
151620	WW	45	220	4800	55	2,614	C24
151621	WW	45	220	4800	55	2,614	C24
151622	WW	45	220	4800	55	2,614	C24
151623	WW	45	220	4800	55	2,614	C24
151624	WW	45	220	4800	55	2,614	C24

151625	WW	45	220	4800	55	2,614	C24
151626	WW	45	220	4800	55	2,614	C24
151627	WW	45	220	4800	55	2,614	C24
151628	WW	45	220	4800	55	2,614	C24
151629	WW	45	220	4800	55	2,614	C24
151630	WW	45	220	4800	55	2,614	C24
151631	WW	45	220	4800	55	2,614	C24
151632	WW	45	220	4800	55	2,614	C24
151633	WW	45	220	4800	55	2,614	C24
151634	WW	45	220	4800	55	2,614	C24
151635	WW	45	220	4800	55	2,614	C24
151636	WW	45	220	4800	55	2,614	C24
151637	WW	45	220	4800	55	2,614	C24
151639	WW	45	220	4800	55	2,614	C24
151644	WW	45	220	4800	55	2,614	C24
151645	WW	45	220	4800	55	2,614	C24
151646	WW	45	220	4800	55	2,614	C24
151648	WW	45	220	4800	55	2,614	C24
151649	WW	45	220	4800	55	2,614	C24
151650	WW	45	220	4800	55	2,614	C24
151651	WW	45	220	4800	55	2,614	C24
151652	WW	45	220	4800	55	2,614	C24
151653	WW	45	220	4800	55	2,614	C24
151654	WW	45	220	4800	55	2,614	C24
151655	WW	45	220	4800	55	2,614	C24
151656	WW	45	220	4800	55	2,614	C24
151657	WW	45	220	4800	55	2,614	C24
151661	WW	45	220	4800	55	2,614	C24
151662	WW	45	220	4800	55	2,614	C24
151663	WW	45	220	4800	55	2,614	C24
151664	WW	45	220	4800	55	2,614	C24
151665	WW	45	220	4800	55	2,614	C24
151666	WW	45	220	4800	55	2,614	C24
151667	WW	45	220	4800	55	2,614	C24
151668	WW	45	220	4800	55	2,614	C24
151669	WW	45	220	4800	55	2,614	C24
151670	WW	45	220	4800	55	2,614	C24
151671	WW	45	220	4800	55	2,614	C24
151672	WW	45	220	4800	55	2,614	C24
151673	WW	45	220	4800	55	2,614	C24
151675	WW	45	220	4800	55	2,614	C24
151703	WW	45	220	4200	55	2,287	C24
151704	WW	45	220	4200	55	2,287	C24
151705	WW	45	220	4200	55	2,287	C24
151706	WW	45	220	4200	55	2,287	C24
151707	WW	45	220	4200	55	2,287	C24
151708	WW	45	220	4200	55	2,287	C24
151709	WW	45	220	4200	55	2,287	C24

151710	WW	45	220	4200	55	2,287	C24
151711	WW	45	220	4200	55	2,287	C24
151794	WW	45	220	4200	55	2,287	C24
151795	WW	45	220	4200	55	2,287	C24
151796	WW	45	220	4200	55	2,287	C24
151797	WW	45	220	4200	55	2,287	C24
21857	WW	45	220	5400	13	0,695	C24
151819	WW	45	95	4200	121	2,173	C24
151820	WW	45	95	4200	121	2,173	C24
151821	WW	45	95	4200	121	2,173	C24
151822	WW	45	95	4200	121	2,173	C24
151823	WW	45	95	4200	121	2,173	C24
151824	WW	45	95	4200	121	2,173	C24
151825	WW	45	95	4200	121	2,173	C24
151880	WW	45	95	4200	121	2,173	C24
151881	WW	45	95	4200	121	2,173	C24
151882	WW	45	95	4200	121	2,173	C24
151883	WW	45	95	4200	121	2,173	C24
151884	WW	45	95	4200	121	2,173	C24
151984	WW	45	145	4200	77	2,11	C24
152185	WW	45	95	4200	121	2,173	C24
152186	WW	45	95	4200	121	2,173	C24
152187	WW	45	95	4200	121	2,173	C24
152190	WW	45	95	4200	121	2,173	C24
152191	WW	45	95	4200	121	2,173	C24
152192	WW	45	95	4200	121	2,173	C24
152193	WW	45	95	4200	121	2,173	C24
153076	WW	45	170	2400	66	1,212	C24
153546	WW	45	170	2400	66	1,212	C24
153718	WW	45	120	2400	88	1,14	C24
153917	WW	45	145	4200	77	2,11	C24
9280	WW	45	195	4800	115	4,844	C24
154998	RW	45	120	4200	88	1,996	C24
154999	RW	45	120	4200	88	1,996	C24
155000	RW	45	120	4200	88	1,996	C24
155917	RW	45	145	4200	77	2,11	C24
155923	RW	45	145	4200	77	2,11	C24
155939	RW	45	145	3600	77	1,809	C24
155940	RW	45	145	3600	77	1,809	C24
156062	RW	45	220	6000	55	3,267	C24
156063	RW	45	220	6000	55	3,267	C24
156064	RW	45	220	6000	55	3,267	C24
156065	RW	45	220	6000	55	3,267	C24
156066	RW	45	220	6000	55	3,267	C24
156067	RW	45	220	6000	55	3,267	C24
156068	RW	45	220	6000	55	3,267	C24
156069	RW	45	220	6000	55	3,267	C24
156070	RW	45	220	6000	55	3,267	C24

156071	RW	45	220	6000	55	3,267	C24
156072	RW	45	220	6000	55	3,267	C24
156073	RW	45	220	6000	55	3,267	C24
156077	RW	45	220	5400	55	2,94	C24
156078	RW	45	220	5400	55	2,94	C24
156152	RW	45	220	5400	55	2,94	C24
156153	RW	45	220	5400	55	2,94	C24
156154	RW	45	220	5400	55	2,94	C24
156155	RW	45	220	5400	55	2,94	C24
156156	RW	45	220	5400	55	2,94	C24
156157	RW	45	220	5400	55	2,94	C24
156174	RW	45	220	5400	55	2,94	C24
156175	RW	45	220	5400	55	2,94	C24
156176	RW	45	220	5400	55	2,94	C24
156330	RW	45	145	6000	77	3,015	C24
156336	RW	45	145	6000	77	3,015	C24
156337	RW	45	145	6000	77	3,015	C24
156338	RW	45	145	6000	77	3,015	C24
156339	RW	45	145	6000	77	3,015	C24
156340	RW	45	145	6000	77	3,015	C24
156341	RW	45	145	6000	77	3,015	C24
156342	RW	45	145	6000	77	3,015	C24
156343	RW	45	145	6000	77	3,015	C24
156344	RW	45	145	6000	77	3,015	C24
156345	RW	45	145	6000	77	3,015	C24
156346	RW	45	145	6000	77	3,015	C24
156347	RW	45	145	6000	77	3,015	C24
156348	RW	45	145	6000	77	3,015	C24
156395	RW	45	145	6000	77	3,015	C24
156855	WW	45	95	3600	121	1,862	C24
156860	WW	45	95	4200	121	2,173	C24
156861	WW	45	95	4200	121	2,173	C24
156862	WW	45	95	4200	121	2,173	C24
156863	WW	45	95	3600	121	1,862	C24
156864	WW	45	95	3600	121	1,862	C24
156866	WW	45	70	4200	165	2,183	C24
156867	WW	45	70	4200	165	2,183	C24
156870	WW	45	70	4200	165	2,183	C24
156871	WW	45	70	4200	165	2,183	C24
156885	WW	45	145	3600	77	1,809	C24
156886	WW	45	145	3600	77	1,809	C24
156887	WW	45	145	3600	77	1,809	C24
156888	WW	45	145	3600	77	1,809	C24
156889	WW	45	145	3600	77	1,809	C24
156891	WW	45	145	3600	77	1,809	C24
156892	WW	45	145	3600	77	1,809	C24
156897	WW	45	145	4200	77	2,11	C24
156898	WW	45	145	4200	77	2,11	C24

156899	WW	45	145	4200	77	2,11	C24
156900	WW	45	145	4200	77	2,11	C24
156901	WW	45	145	4200	77	2,11	C24
156902	WW	45	145	4200	77	2,11	C24
156903	WW	45	145	4200	77	2,11	C24
156904	WW	45	145	4200	77	2,11	C24
156905	WW	45	145	4200	77	2,11	C24
156906	WW	45	145	4200	77	2,11	C24
156907	WW	45	145	4200	77	2,11	C24
156908	WW	45	145	4200	77	2,11	C24
156909	WW	45	145	4200	77	2,11	C24
156915	WW	45	145	5400	77	2,713	C24
156916	WW	45	145	5400	77	2,713	C24
156917	WW	45	145	5400	77	2,713	C24
156918	WW	45	145	5400	77	2,713	C24
156920	WW	45	145	5400	77	2,713	C24
156921	WW	45	145	5400	77	2,713	C24
156922	WW	45	145	5400	77	2,713	C24
157101	RW	45	220	4800	55	2,614	C24
157102	RW	45	220	4800	55	2,614	C24
157103	RW	45	220	4800	55	2,614	C24
157104	RW	45	220	4800	55	2,614	C24
157105	RW	45	220	4800	55	2,614	C24
157106	RW	45	220	4800	55	2,614	C24
157110	RW	45	220	4800	55	2,614	C24
157111	RW	45	220	4800	55	2,614	C24
157112	RW	45	220	4800	55	2,614	C24
157113	RW	45	220	4800	55	2,614	C24
157114	RW	45	220	4800	55	2,614	C24
157115	RW	45	220	4800	55	2,614	C24
157118	RW	45	220	4800	55	2,614	C24
157119	RW	45	220	4800	55	2,614	C24
157120	RW	45	220	4800	55	2,614	C24
157121	RW	45	220	4800	55	2,614	C24
157122	RW	45	220	4800	55	2,614	C24
157123	RW	45	220	4800	55	2,614	C24
157124	RW	45	220	4800	55	2,614	C24
157125	RW	45	220	4800	55	2,614	C24
157126	RW	45	220	4800	55	2,614	C24
157127	RW	45	220	4800	55	2,614	C24
157128	RW	45	220	4800	55	2,614	C24
157129	RW	45	220	4800	55	2,614	C24
157130	RW	45	220	4800	55	2,614	C24
157131	RW	45	220	4800	55	2,614	C24
157132	RW	45	220	4800	55	2,614	C24
157137	RW	45	220	4800	55	2,614	C24
157138	RW	45	220	4800	55	2,614	C24
157139	RW	45	220	4800	55	2,614	C24

157140	RW	45	220	4800	55	2,614	C24
157141	RW	45	220	4800	55	2,614	C24
157142	RW	45	220	4800	55	2,614	C24
157143	RW	45	220	4800	55	2,614	C24
157179	RW	45	145	5400	77	2,713	C24
157202	RW	45	145	6000	77	3,015	C24
157212	RW	45	145	6000	77	3,015	C24
157241	RW	45	145	6000	77	3,015	C24
157259	RW	45	145	6000	77	3,015	C24
157260	RW	45	145	6000	77	3,015	C24
157261	RW	45	145	6000	77	3,015	C24
157262	RW	45	145	6000	77	3,015	C24
157263	RW	45	145	6000	77	3,015	C24
157264	RW	45	145	6000	77	3,015	C24
157265	RW	45	145	6000	77	3,015	C24
157266	RW	45	145	6000	77	3,015	C24
157268	RW	45	145	6000	77	3,015	C24
157269	RW	45	145	6000	77	3,015	C24
157270	RW	45	145	5400	77	2,713	C24
157271	RW	45	145	5400	77	2,713	C24
157272	RW	45	145	5400	77	2,713	C24
157273	RW	45	145	5400	77	2,713	C24
157274	RW	45	145	5400	77	2,713	C24
157275	RW	45	145	5400	77	2,713	C24
157276	RW	45	145	5400	77	2,713	C24
157277	RW	45	145	5400	77	2,713	C24
157278	RW	45	145	5400	77	2,713	C24
157279	RW	45	145	5400	77	2,713	C24
157280	RW	45	145	5400	77	2,713	C24
157282	RW	45	145	5400	77	2,713	C24
157283	RW	45	145	5400	77	2,713	C24
157285	RW	45	145	6000	77	3,015	C24
157286	RW	45	145	6000	77	3,015	C24
157287	RW	45	145	6000	77	3,015	C24
157288	RW	45	145	6000	77	3,015	C24
157289	RW	45	145	6000	77	3,015	C24
157291	RW	45	145	6000	77	3,015	C24
157292	RW	45	145	6000	77	3,015	C24
157293	RW	45	145	6000	77	3,015	C24
157294	RW	45	145	6000	77	3,015	C24
157295	RW	45	145	6000	77	3,015	C24
157296	RW	45	145	6000	77	3,015	C24
157297	RW	45	145	6000	77	3,015	C24
157298	RW	45	145	6000	77	3,015	C24
157308	RW	45	145	3600	77	1,809	C24
157309	RW	45	145	6000	77	3,015	C24
157310	RW	45	145	6000	77	3,015	C24
157311	RW	45	145	6000	77	3,015	C24

157312	RW	45	145	6000	77	3,015	C24
157313	RW	45	145	6000	77	3,015	C24
157314	RW	45	145	6000	77	3,015	C24
157315	RW	45	145	6000	77	3,015	C24
157316	RW	45	145	6000	77	3,015	C24
157318	RW	45	145	6000	77	3,015	C24
157319	RW	45	145	6000	77	3,015	C24
157321	RW	45	145	6000	77	3,015	C24
157322	RW	45	145	6000	77	3,015	C24
157331	RW	45	145	5400	77	2,713	C24
157348	RW	45	145	5400	77	2,713	C24
157360	RW	45	145	5400	77	2,713	C24
157361	RW	45	145	5400	77	2,713	C24
157362	RW	45	145	5400	77	2,713	C24
157363	RW	45	145	5400	77	2,713	C24
157364	RW	45	145	5400	77	2,713	C24
157365	RW	45	95	4200	121	2,173	C24
157366	RW	45	95	4200	121	2,173	C24
157367	RW	45	145	5400	77	2,713	C24
157369	RW	45	95	4200	121	2,173	C24
157372	RW	45	95	4200	121	2,173	C24
157373	RW	45	95	4200	121	2,173	C24
157376	RW	45	95	4200	121	2,173	C24
157380	RW	45	95	4200	121	2,173	C24
157383	RW	45	95	4200	121	2,173	C24
157388	RW	45	95	4200	121	2,173	C24
157389	RW	45	95	4200	121	2,173	C24
157390	RW	45	95	4200	121	2,173	C24
157391	RW	45	145	6000	77	3,015	C24
157392	RW	45	145	6000	77	3,015	C24
157400	RW	45	95	4200	121	2,173	C24
157404	RW	45	95	4200	121	2,173	C24
157407	RW	45	95	4200	121	2,173	C24
157410	RW	45	95	4200	121	2,173	C24
157411	RW	45	95	4200	121	2,173	C24
157412	RW	45	95	4200	121	2,173	C24
157457	RW	45	145	6000	77	3,015	C24
157509	RW	45	145	4200	77	2,11	C24
157516	RW	45	95	4200	121	2,173	C24
157518	RW	45	95	4200	121	2,173	C24
157519	RW	45	95	4200	121	2,173	C24
157520	RW	45	95	4200	121	2,173	C24
157522	RW	45	95	4200	121	2,173	C24
157523	RW	45	95	4200	121	2,173	C24
157525	RW	45	95	4200	121	2,173	C24
157844	RW	45	220	5400	55	2,94	C24
157845	RW	45	220	5400	55	2,94	C24
157846	RW	45	220	5400	55	2,94	C24

157851	RW	45	220	5400	55	2,94	C24
157852	RW	45	220	5400	55	2,94	C24
157853	RW	45	220	5400	55	2,94	C24
157854	RW	45	220	5400	55	2,94	C24
157855	RW	45	220	5400	55	2,94	C24
157856	RW	45	220	5400	55	2,94	C24
157857	RW	45	220	5400	55	2,94	C24
157858	RW	45	220	5400	55	2,94	C24
157864	RW	45	220	5400	55	2,94	C24
157865	RW	45	220	5400	55	2,94	C24
157866	RW	45	220	5400	55	2,94	C24
157870	RW	45	220	5400	55	2,94	C24
157871	RW	45	220	5400	55	2,94	C24
157872	RW	45	220	5400	55	2,94	C24
157873	RW	45	220	5400	55	2,94	C24
157874	RW	45	220	5400	55	2,94	C24
157878	RW	45	220	5400	55	2,94	C24
157880	RW	45	220	5400	55	2,94	C24
158075	RW	45	195	5400	55	2,606	C24
158125	RW	45	95	4200	121	2,173	C24
158220	WW	45	120	4200	88	1,996	C24
158222	WW	45	120	4200	88	1,996	C24
158223	WW	45	120	4200	88	1,996	C24
158235	RW	45	195	3600	55	1,737	C24
158346	RW	45	195	3600	55	1,737	C24
158347	RW	45	195	3600	55	1,737	C24
158349	RW	45	195	3600	55	1,737	C24
158350	RW	45	195	3600	55	1,737	C24
158351	RW	45	195	3600	55	1,737	C24
158352	RW	45	195	3600	55	1,737	C24
158395	RW	45	195	3600	55	1,737	C24
158396	RW	45	195	3600	55	1,737	C24
158397	RW	45	195	3600	55	1,737	C24
158398	RW	45	195	3600	55	1,737	C24
158399	RW	45	195	3600	55	1,737	C24
158400	RW	45	195	3600	55	1,737	C24
158401	RW	45	195	3600	55	1,737	C24
158551	RW	45	195	3600	55	1,737	C24
158563	RW	45	195	4800	55	2,317	C24
158575	RW	45	195	3600	55	1,737	C24
158578	RW	45	195	3600	55	1,737	C24
158580	RW	45	195	3600	55	1,737	C24
158623	RW	45	195	4800	55	2,317	C24
158624	RW	45	195	4800	55	2,317	C24
158625	RW	45	195	4800	55	2,317	C24
158626	RW	45	195	4800	55	2,317	C24
158627	RW	45	195	4800	55	2,317	C24
158628	RW	45	195	4800	55	2,317	C24

158629	RW	45	195	4800	55	2,317	C24
158630	RW	45	195	4800	55	2,317	C24
158900	WW	45	95	3600	121	1,862	C24
158901	WW	45	95	3600	121	1,862	C24
158903	WW	45	95	3600	121	1,862	C24
158905	WW	45	95	3600	121	1,862	C24
158906	WW	45	95	3600	121	1,862	C24
158908	WW	45	95	3600	121	1,862	C24
158909	WW	45	95	3600	121	1,862	C24
158911	WW	45	95	3600	121	1,862	C24
158912	WW	45	95	3600	121	1,862	C24
158913	WW	45	95	3600	121	1,862	C24
158915	WW	45	95	3600	121	1,862	C24
158916	WW	45	95	3600	121	1,862	C24
159099	WW	45	95	5400	121	2,793	C24
159100	WW	45	95	5400	121	2,793	C24
159247	RW	45	120	4200	88	1,996	C24
159456	RW	45	145	6000	77	3,015	C24
159457	RW	45	145	6000	77	3,015	C24
159476	RW	45	145	6000	77	3,015	C24
159491	RW	45	145	6000	77	3,015	C24
159497	RW	45	145	6000	77	3,015	C24
159498	RW	45	145	6000	77	3,015	C24
159535	RW	45	145	4800	77	2,412	C24
159536	RW	45	145	4800	77	2,412	C24
159586	RW	45	145	3600	77	1,809	C24
159588	RW	45	145	3600	77	1,809	C24
159599	RW	45	145	3600	77	1,809	C24
159649	RW	45	145	4800	77	2,412	C24
159650	RW	45	145	4800	77	2,412	C24
159651	RW	45	145	4800	77	2,412	C24
159652	RW	45	145	4800	77	2,412	C24
159653	RW	45	145	4800	77	2,412	C24
159654	RW	45	145	4800	77	2,412	C24
159655	RW	45	145	4800	77	2,412	C24
159659	RW	45	145	4800	77	2,412	C24
159660	RW	45	145	4800	77	2,412	C24
159967	RW	45	145	4800	77	2,412	C24
159968	RW	45	145	4800	77	2,412	C24
159984	RW	45	145	3600	77	1,809	C24
159986	RW	45	145	4800	77	2,412	C24
159987	RW	45	145	4800	77	2,412	C24
159988	RW	45	145	4800	77	2,412	C24
159989	RW	45	145	4800	77	2,412	C24
159999	RW	45	145	4800	77	2,412	C24
160000	RW	45	145	4800	77	2,412	C24
160001	RW	45	145	4800	77	2,412	C24
160026	RW	45	145	4800	77	2,412	C24

160027	RW	45	145	4800	77	2,412	C24
160028	RW	45	145	4800	77	2,412	C24
160029	RW	45	145	4800	77	2,412	C24
160030	RW	45	145	4800	77	2,412	C24
160031	RW	45	145	4800	77	2,412	C24
160069	RW	45	145	4800	77	2,412	C24
160070	RW	45	145	4800	77	2,412	C24
160081	RW	45	145	4800	77	2,412	C24
160082	RW	45	145	4800	77	2,412	C24
160083	RW	45	145	4800	77	2,412	C24
160084	RW	45	145	4800	77	2,412	C24
160085	RW	45	145	4800	77	2,412	C24
160086	RW	45	145	4800	77	2,412	C24
160087	RW	45	145	4800	77	2,412	C24
160095	RW	45	145	3600	77	1,809	C24
160125	RW	45	145	4800	77	2,412	C24
160126	RW	45	145	4800	77	2,412	C24
160127	RW	45	145	4800	77	2,412	C24
160128	RW	45	145	4800	77	2,412	C24
160129	RW	45	145	4800	77	2,412	C24
160130	RW	45	145	4800	77	2,412	C24
160143	RW	45	145	4800	77	2,412	C24
160146	RW	45	145	4800	77	2,412	C24
160266	RW	45	245	4200	44	2,037	C24
160267	RW	45	245	4200	44	2,037	C24
160269	RW	45	245	4200	44	2,037	C24
160270	RW	45	245	4200	44	2,037	C24
160271	RW	45	245	3600	44	1,746	C24
160273	RW	45	245	3600	44	1,746	C24
160274	RW	45	245	3600	44	1,746	C24
160535	WW	45	245	4200	44	2,037	C24
160536	WW	45	245	4200	44	2,037	C24
160537	WW	45	245	4200	44	2,037	C24
160538	WW	45	245	4200	44	2,037	C24
160539	WW	45	245	4200	44	2,037	C24
160568	WW	45	245	2400	44	1,164	C24
160714	RW	45	120	4200	88	1,996	C24
160715	RW	45	120	4200	88	1,996	C24
160716	RW	45	120	4200	88	1,996	C24
160717	RW	45	120	4200	88	1,996	C24
160719	RW	45	120	4200	88	1,996	C24
160720	RW	45	120	4200	88	1,996	C24
160721	RW	45	120	4200	88	1,996	C24
160722	RW	45	120	4200	88	1,996	C24
160723	RW	45	120	4200	88	1,996	C24
160724	RW	45	120	4200	88	1,996	C24
160725	RW	45	120	4200	88	1,996	C24
160726	RW	45	120	4200	88	1,996	C24

160913	RW	45	220	3000	55	1,633	C24
160915	RW	45	220	3000	55	1,633	C24
160916	RW	45	220	3000	55	1,633	C24
160939	RW	45	220	5400	55	2,94	C24
160940	RW	45	220	5400	55	2,94	C24
160941	RW	45	220	5400	55	2,94	C24
161003	WW	45	95	5400	121	2,793	C24
161004	WW	45	95	5400	121	2,793	C24
161005	WW	45	95	5400	121	2,793	C24
161007	WW	45	95	5400	121	2,793	C24
161008	WW	45	95	5400	121	2,793	C24
161010	WW	45	95	5400	121	2,793	C24
161011	WW	45	95	5400	121	2,793	C24
161013	WW	45	95	5400	121	2,793	C24
161064	WW	45	145	4800	77	2,412	C24
161065	WW	45	145	4800	77	2,412	C24
161066	WW	45	145	4800	77	2,412	C24
161067	WW	45	145	4800	77	2,412	C24
161068	WW	45	145	4800	77	2,412	C24
161131	WW	45	120	4200	88	1,996	C24
161132	WW	45	120	4200	88	1,996	C24
161133	WW	45	120	4200	88	1,996	C24
161134	WW	45	120	4200	88	1,996	C24
161264	WW	45	95	2400	121	1,241	C24
161267	WW	45	95	2400	121	1,241	C24
161281	WW	45	95	2400	121	1,241	C24
161283	WW	45	95	2400	121	1,241	C24
161284	WW	45	95	2400	121	1,241	C24
161285	WW	45	95	2400	121	1,241	C24
161305	WW	45	95	2400	121	1,241	C24
161306	WW	45	95	2400	121	1,241	C24
161307	WW	45	95	2400	121	1,241	C24
161308	WW	45	95	2400	121	1,241	C24
161312	WW	45	95	2400	121	1,241	C24
161314	WW	45	95	2400	121	1,241	C24
161319	WW	45	95	2400	121	1,241	C24
161320	WW	45	95	2400	121	1,241	C24
161321	WW	45	95	2400	121	1,241	C24
161322	WW	45	95	2400	121	1,241	C24
161323	WW	45	95	2400	121	1,241	C24
161324	WW	45	95	2400	121	1,241	C24
161325	WW	45	95	2400	121	1,241	C24
161326	WW	45	95	2400	121	1,241	C24
161327	WW	45	95	2400	121	1,241	C24
161328	WW	45	95	2400	121	1,241	C24
161329	WW	45	95	2400	121	1,241	C24
161332	WW	45	95	4800	121	2,483	C24
161333	WW	45	95	4800	121	2,483	C24

161334	WW	45	95	4800	121	2,483	C24
161335	WW	45	95	4800	121	2,483	C24
161339	WW	45	95	4800	121	2,483	C24
161340	WW	45	95	4800	121	2,483	C24
161341	WW	45	95	4800	121	2,483	C24
161342	WW	45	95	4800	121	2,483	C24
161343	WW	45	95	4800	121	2,483	C24
161344	WW	45	95	4800	121	2,483	C24
161345	WW	45	95	4800	121	2,483	C24
161346	WW	45	95	4800	121	2,483	C24
161347	WW	45	95	4800	121	2,483	C24
161348	WW	45	145	4200	77	2,11	C24
161349	WW	45	145	4200	77	2,11	C24
161350	WW	45	145	4200	77	2,11	C24
161351	WW	45	145	4200	77	2,11	C24
161352	WW	45	145	4200	77	2,11	C24
161353	WW	45	145	4200	77	2,11	C24
161354	WW	45	145	4200	77	2,11	C24
161355	WW	45	145	4200	77	2,11	C24
161356	WW	45	145	4200	77	2,11	C24
161357	WW	45	145	4200	77	2,11	C24
161358	WW	45	145	4200	77	2,11	C24
161359	WW	45	145	4200	77	2,11	C24
161429	WW	45	145	4800	77	2,412	C24
161430	WW	45	145	4800	77	2,412	C24
161431	WW	45	145	4800	77	2,412	C24
161432	WW	45	145	4800	77	2,412	C24
161433	WW	45	145	4800	77	2,412	C24
161434	WW	45	145	4800	77	2,412	C24
161435	WW	45	145	4800	77	2,412	C24
161436	WW	45	145	4800	77	2,412	C24
161437	WW	45	145	4800	77	2,412	C24
161521	WW	45	145	4800	77	2,412	C24
161523	WW	45	145	4200	77	2,11	C24
161524	WW	45	145	4200	77	2,11	C24
161525	WW	45	145	4200	77	2,11	C24
161526	WW	45	145	4200	77	2,11	C24
161527	WW	45	145	4200	77	2,11	C24
161529	WW	45	145	4200	77	2,11	C24
161620	RW	45	245	3600	44	1,746	C24
161621	RW	45	245	3600	44	1,746	C24
161622	RW	45	245	3600	44	1,746	C24
161623	RW	45	245	3600	44	1,746	C24
161624	RW	45	245	3600	44	1,746	C24
161633	RW	45	245	3600	44	1,746	C24
161634	RW	45	245	3600	44	1,746	C24
161635	RW	45	245	3600	44	1,746	C24
161636	RW	45	245	3600	44	1,746	C24

161639	RW	45	245	3600	44	1,746	C24
161640	RW	45	245	3600	44	1,746	C24
161652	RW	45	245	4200	44	2,037	C24
161653	RW	45	245	4200	44	2,037	C24
161660	WW	45	245	4200	44	2,037	C24
161661	WW	45	245	4200	44	2,037	C24
161662	WW	45	245	4200	44	2,037	C24
161663	WW	45	245	4200	44	2,037	C24
161664	WW	45	245	4200	44	2,037	C24
161665	WW	45	245	4200	44	2,037	C24
161666	WW	45	245	4200	44	2,037	C24
161669	WW	45	245	4200	44	2,037	C24
161670	WW	45	245	4200	44	2,037	C24
161671	WW	45	245	4200	44	2,037	C24
161672	WW	45	245	4200	44	2,037	C24
161691	WW	45	245	4200	44	2,037	C24
161692	WW	45	245	4200	44	2,037	C24
161693	WW	45	245	4200	44	2,037	C24
161694	WW	45	245	4200	44	2,037	C24
161695	WW	45	245	4200	44	2,037	C24
161829	WW	45	170	5400	66	2,726	C24
161832	WW	45	170	5400	66	2,726	C24
161837	WW	45	170	4800	66	2,424	C24
161838	WW	45	170	4800	66	2,424	C24
161839	WW	45	170	4800	66	2,424	C24
161840	WW	45	170	4800	66	2,424	C24
161841	WW	45	170	4800	66	2,424	C24
161842	WW	45	170	4800	66	2,424	C24
161843	WW	45	170	4800	66	2,424	C24
161933	RW	45	95	5400	121	2,793	C24
161934	RW	45	95	5400	121	2,793	C24
161936	RW	45	95	5400	121	2,793	C24
161937	RW	45	95	5400	121	2,793	C24
161938	RW	45	95	5400	121	2,793	C24
161939	RW	45	95	5400	121	2,793	C24
161940	RW	45	95	5400	121	2,793	C24
161941	RW	45	95	5400	121	2,793	C24
161942	RW	45	95	5400	121	2,793	C24
161943	RW	45	95	5400	121	2,793	C24
161944	RW	45	95	5400	121	2,793	C24
161945	RW	45	95	5400	121	2,793	C24
161946	RW	45	95	5400	121	2,793	C24
161947	RW	45	95	5400	121	2,793	C24
161948	RW	45	95	5400	121	2,793	C24
161950	RW	45	95	4800	121	2,483	C24
161951	RW	45	95	4800	121	2,483	C24
162083	WW	45	145	4200	77	2,11	C24
162084	WW	45	145	4200	77	2,11	C24

162100	WW	45	145	4800	77	2,412	C24
162101	WW	45	145	4800	77	2,412	C24
162158	WW	45	145	3600	77	1,809	C24
162159	WW	45	145	3600	77	1,809	C24
162160	WW	45	145	3600	77	1,809	C24
162315	RW	45	170	3000	66	1,515	C24
162370	RW	45	170	3000	66	1,515	C24
162372	RW	45	170	3000	66	1,515	C24
162403	RW	45	195	4800	55	2,317	C24
162404	RW	45	195	4800	55	2,317	C24
162405	RW	45	195	4800	55	2,317	C24
162406	RW	45	195	4800	55	2,317	C24
162407	RW	45	195	4800	55	2,317	C24
162408	RW	45	195	4800	55	2,317	C24
162409	RW	45	195	4800	55	2,317	C24
162410	RW	45	195	4800	55	2,317	C24
162411	RW	45	195	4800	55	2,317	C24
162412	RW	45	195	4800	55	2,317	C24
162413	RW	45	195	4800	55	2,317	C24
162444	RW	45	195	4800	55	2,317	C24
162446	RW	45	195	4800	55	2,317	C24
162470	RW	45	195	4800	55	2,317	C24
162471	RW	45	195	4800	55	2,317	C24
162472	RW	45	195	4800	55	2,317	C24
162473	RW	45	195	4800	55	2,317	C24
162474	RW	45	195	4800	55	2,317	C24
162475	RW	45	195	4800	55	2,317	C24
162476	RW	45	195	4800	55	2,317	C24
162477	RW	45	195	4800	55	2,317	C24
162478	RW	45	195	4800	55	2,317	C24
162479	RW	45	195	4800	55	2,317	C24
162480	RW	45	195	4800	55	2,317	C24
162481	RW	45	195	4800	55	2,317	C24
162482	RW	45	195	4800	55	2,317	C24
162483	RW	45	195	4800	55	2,317	C24
162484	RW	45	195	4800	55	2,317	C24
162485	RW	45	195	4800	55	2,317	C24
162486	RW	45	195	4800	55	2,317	C24
162487	RW	45	195	4800	55	2,317	C24
162488	RW	45	195	4800	55	2,317	C24
162489	RW	45	195	4800	55	2,317	C24
162490	RW	45	195	4800	55	2,317	C24
162491	RW	45	195	4800	55	2,317	C24
162528	RW	45	195	4800	55	2,317	C24
162529	RW	45	195	3600	55	1,737	C24
162531	RW	45	195	3600	55	1,737	C24
162616	RW	45	145	6000	77	3,015	C24
162617	RW	45	145	6000	77	3,015	C24

162618	RW	45	145	6000	77	3,015	C24
162619	RW	45	145	6000	77	3,015	C24
162620	RW	45	145	6000	77	3,015	C24
162621	RW	45	145	6000	77	3,015	C24
162622	RW	45	145	6000	77	3,015	C24
162623	RW	45	145	6000	77	3,015	C24
162624	RW	45	145	6000	77	3,015	C24
162625	RW	45	145	6000	77	3,015	C24
162626	RW	45	145	6000	77	3,015	C24
162627	RW	45	145	6000	77	3,015	C24
162631	RW	45	145	6000	77	3,015	C24
162632	RW	45	145	6000	77	3,015	C24
162633	RW	45	145	6000	77	3,015	C24
162655	RW	45	145	6000	77	3,015	C24
162656	RW	45	145	6000	77	3,015	C24
162658	RW	45	145	6000	77	3,015	C24
162871	RW	45	195	3600	55	1,737	C24
162960	RW	45	195	3600	55	1,737	C24
162961	RW	45	195	3600	55	1,737	C24
162962	RW	45	195	3600	55	1,737	C24
162963	RW	45	195	3600	55	1,737	C24
162964	RW	45	195	3600	55	1,737	C24
162967	RW	45	195	3600	55	1,737	C24
162987	RW	45	195	3600	55	1,737	C24
162988	RW	45	195	3600	55	1,737	C24
162989	RW	45	195	3600	55	1,737	C24
163038	RW	45	195	3600	55	1,737	C24
163039	RW	45	195	3600	55	1,737	C24
163040	RW	45	195	3600	55	1,737	C24
163057	RW	45	195	3600	55	1,737	C24
163058	RW	45	195	3600	55	1,737	C24
163059	RW	45	195	3600	55	1,737	C24
163060	RW	45	195	3600	55	1,737	C24
163062	RW	45	195	3600	55	1,737	C24
163063	RW	45	195	3600	55	1,737	C24
163067	RW	45	195	3600	55	1,737	C24
163068	RW	45	195	3600	55	1,737	C24
163069	RW	45	195	3600	55	1,737	C24
163071	RW	45	195	3600	55	1,737	C24
163072	RW	45	195	3600	55	1,737	C24
163073	RW	45	195	3600	55	1,737	C24
163087	RW	45	195	3600	55	1,737	C24
163088	RW	45	195	3600	55	1,737	C24
163089	RW	45	195	3600	55	1,737	C24
163141	RW	45	195	3600	55	1,737	C24
163163	RW	45	195	3600	55	1,737	C24
163165	RW	45	195	3600	55	1,737	C24
163166	RW	45	195	3600	55	1,737	C24

163190	RW	45	195	3000	55	1,448	C24
163191	RW	45	195	3000	55	1,448	C24
163192	RW	45	195	3000	55	1,448	C24
163203	RW	45	195	3000	55	1,448	C24
163283	RW	45	195	6000	55	2,896	C24
163293	RW	45	195	5400	55	2,606	C24
163294	RW	45	195	5400	55	2,606	C24
163295	RW	45	195	5400	55	2,606	C24
163296	RW	45	195	5400	55	2,606	C24
163299	RW	45	195	5400	55	2,606	C24
163300	RW	45	195	5400	55	2,606	C24
163301	RW	45	195	5400	55	2,606	C24
163302	RW	45	195	5400	55	2,606	C24
163303	RW	45	195	5400	55	2,606	C24
163304	RW	45	195	5400	55	2,606	C24
163305	RW	45	195	5400	55	2,606	C24
163306	RW	45	195	5400	55	2,606	C24
163308	RW	45	195	5400	55	2,606	C24
163309	RW	45	195	5400	55	2,606	C24
163310	RW	45	195	5400	55	2,606	C24
163311	RW	45	195	5400	55	2,606	C24
163312	RW	45	195	5400	55	2,606	C24
163313	RW	45	195	5400	55	2,606	C24
163314	RW	45	195	5400	55	2,606	C24
163315	RW	45	195	5400	55	2,606	C24
163317	RW	45	195	5400	55	2,606	C24
163318	RW	45	195	5400	55	2,606	C24
163319	RW	45	195	5400	55	2,606	C24
163322	RW	45	195	3600	55	1,737	C24
163323	RW	45	195	3600	55	1,737	C24
163324	RW	45	195	3600	55	1,737	C24
163353	WW	45	145	4200	77	2,11	C24
163365	WW	45	145	4800	77	2,412	C24
163366	WW	45	145	4800	77	2,412	C24
163367	WW	45	145	4800	77	2,412	C24
163368	WW	45	145	4800	77	2,412	C24
163369	WW	45	145	4800	77	2,412	C24
163370	WW	45	145	4800	77	2,412	C24
163371	WW	45	145	4800	77	2,412	C24
163372	WW	45	145	4800	77	2,412	C24
163373	WW	45	145	4800	77	2,412	C24
163374	WW	45	145	4800	77	2,412	C24
163375	WW	45	145	4800	77	2,412	C24
163376	WW	45	145	4800	77	2,412	C24
163379	WW	45	145	4800	77	2,412	C24
163380	WW	45	145	4800	77	2,412	C24
163381	WW	45	145	4800	77	2,412	C24
163382	WW	45	145	4800	77	2,412	C24

163383	WW	45	145	4800	77	2,412	C24
163384	WW	45	145	4800	77	2,412	C24
163385	WW	45	145	4800	77	2,412	C24
163387	WW	45	145	4800	77	2,412	C24
163388	WW	45	145	4800	77	2,412	C24
163389	WW	45	145	4800	77	2,412	C24
163390	WW	45	145	4800	77	2,412	C24
163391	WW	45	145	4800	77	2,412	C24
163392	WW	45	145	4800	77	2,412	C24
163393	WW	45	145	4800	77	2,412	C24
163394	WW	45	145	4800	77	2,412	C24
163396	WW	45	145	4800	77	2,412	C24
163397	WW	45	145	4800	77	2,412	C24
163401	WW	45	145	4800	77	2,412	C24
163427	WW	45	145	3600	77	1,809	C24
163431	WW	45	145	3600	77	1,809	C24
163432	WW	45	145	3600	77	1,809	C24
163446	WW	45	145	3600	77	1,809	C24
163447	WW	45	145	3600	77	1,809	C24
163452	WW	45	145	4200	77	2,11	C24
163453	WW	45	145	4200	77	2,11	C24
163454	WW	45	145	4200	77	2,11	C24
163455	WW	45	145	4200	77	2,11	C24
163456	WW	45	145	4200	77	2,11	C24
163457	WW	45	145	4200	77	2,11	C24
163460	WW	45	145	4200	77	2,11	C24
163461	WW	45	145	4200	77	2,11	C24
163468	WW	45	145	4200	77	2,11	C24
163535	WW	45	145	3600	77	1,809	C24
163539	WW	45	145	3600	77	1,809	C24
163540	WW	45	145	3600	77	1,809	C24
163548	WW	45	145	4200	77	2,11	C24
163549	WW	45	145	4200	77	2,11	C24
163550	WW	45	145	4200	77	2,11	C24
163551	WW	45	145	4200	77	2,11	C24
163552	WW	45	145	4200	77	2,11	C24
163553	WW	45	145	4200	77	2,11	C24
163554	WW	45	145	4200	77	2,11	C24
163555	WW	45	145	4200	77	2,11	C24
163556	WW	45	145	3600	77	1,809	C24
163557	WW	45	145	3600	77	1,809	C24
163558	WW	45	145	3600	77	1,809	C24
163559	WW	45	145	3600	77	1,809	C24
163716	WW	45	195	4800	55	2,317	C24
163717	WW	45	195	4800	55	2,317	C24
163718	WW	45	195	4800	55	2,317	C24
163719	WW	45	195	4800	55	2,317	C24
163720	WW	45	195	4800	55	2,317	C24

163721	WW	45	195	4800	55	2,317	C24
163722	WW	45	195	4800	55	2,317	C24
163723	WW	45	195	4800	55	2,317	C24
163724	WW	45	195	4800	55	2,317	C24
163726	WW	45	195	4800	55	2,317	C24
163727	WW	45	195	4800	55	2,317	C24
163874	RW	45	195	5400	55	2,606	C24
163875	RW	45	195	5400	55	2,606	C24
163877	RW	45	195	5400	55	2,606	C24
163878	RW	45	195	5400	55	2,606	C24
163893	RW	45	195	3600	55	1,737	C24
163896	RW	45	195	3600	55	1,737	C24
163897	RW	45	195	3600	55	1,737	C24
163898	RW	45	195	3600	55	1,737	C24
163902	RW	45	195	3600	55	1,737	C24
163903	RW	45	195	3600	55	1,737	C24
163904	RW	45	195	3600	55	1,737	C24
163917	RW	45	195	3600	55	1,737	C24
163918	RW	45	195	3600	55	1,737	C24
163919	RW	45	195	3600	55	1,737	C24
164057	RW	45	95	4800	121	2,483	C24
164058	RW	45	95	4800	121	2,483	C24
164059	RW	45	95	4800	121	2,483	C24
164060	RW	45	95	4800	121	2,483	C24
164061	RW	45	95	4800	121	2,483	C24
164062	RW	45	95	4800	121	2,483	C24
164063	RW	45	95	4800	121	2,483	C24
164064	RW	45	95	4800	121	2,483	C24
164065	RW	45	95	4800	121	2,483	C24
164245	RW	45	170	3600	66	1,818	C24
164248	RW	45	170	3600	66	1,818	C24
164251	RW	45	170	3600	66	1,818	C24
164263	RW	45	170	3600	66	1,818	C24
164265	RW	45	170	3600	66	1,818	C24
164268	RW	45	170	3600	66	1,818	C24
164284	RW	45	170	3600	66	1,818	C24
164291	RW	45	170	3600	66	1,818	C24
164294	RW	45	170	3600	66	1,818	C24
164329	RW	45	170	3600	66	1,818	C24
164709	WW	45	195	4800	55	2,317	C24
164726	WW	45	195	3600	55	1,737	C24
164727	WW	45	195	3600	55	1,737	C24
164745	WW	45	195	4800	55	2,317	C24
164746	WW	45	195	4800	55	2,317	C24
164747	WW	45	195	4800	55	2,317	C24
164748	WW	45	195	4800	55	2,317	C24
164749	WW	45	195	4800	55	2,317	C24
164750	WW	45	195	4800	55	2,317	C24

164751	WW	45	195	4800	55	2,317	C24
164752	WW	45	195	4800	55	2,317	C24
164753	WW	45	195	4800	55	2,317	C24
164754	WW	45	195	4800	55	2,317	C24
164755	WW	45	195	3600	55	1,737	C24
164759	WW	45	195	3600	55	1,737	C24
164760	WW	45	195	3600	55	1,737	C24
164761	WW	45	195	3600	55	1,737	C24
164762	WW	45	195	3600	55	1,737	C24
164769	WW	45	195	4800	55	2,317	C24
164770	WW	45	195	4800	55	2,317	C24
164771	WW	45	195	4800	55	2,317	C24
164772	WW	45	195	4800	55	2,317	C24
164773	WW	45	195	4800	55	2,317	C24
164774	WW	45	195	4800	55	2,317	C24
164775	WW	45	195	4800	55	2,317	C24
164776	WW	45	195	4800	55	2,317	C24
164777	WW	45	195	4800	55	2,317	C24
164778	WW	45	195	4800	55	2,317	C24
164781	WW	45	195	4800	55	2,317	C24
164782	WW	45	195	4800	55	2,317	C24
164797	WW	45	195	3600	55	1,737	C24
164798	WW	45	195	3600	55	1,737	C24
164799	WW	45	195	3600	55	1,737	C24
164800	WW	45	195	3600	55	1,737	C24
164801	WW	45	195	3600	55	1,737	C24
164804	WW	45	195	3600	55	1,737	C24
164947	WW	45	95	4800	121	2,483	C24
164948	WW	45	95	4800	121	2,483	C24
164949	WW	45	95	4800	121	2,483	C24
164950	WW	45	95	4800	121	2,483	C24
164951	WW	45	95	4800	121	2,483	C24
164991	WW	45	95	5400	121	2,793	C24
164992	WW	45	95	5400	121	2,793	C24
164993	WW	45	95	5400	121	2,793	C24
165156	RW	45	120	4200	88	1,996	C24
165157	RW	45	120	4200	88	1,996	C24
165158	RW	45	120	4200	88	1,996	C24
165160	WW	45	120	4200	88	1,996	C24
165161	WW	45	120	4200	88	1,996	C24
165162	WW	45	120	4200	88	1,996	C24
165927	WW	45	245	3600	44	1,746	C24
165928	WW	45	245	4200	44	2,037	C24
165929	WW	45	245	4200	44	2,037	C24
165931	WW	45	245	4200	44	2,037	C24
165932	WW	45	245	4200	44	2,037	C24
165933	WW	45	245	4200	44	2,037	C24
165934	WW	45	245	4200	44	2,037	C24

166046	WW	45	120	4200	88	1,996	C24
166047	WW	45	120	4200	88	1,996	C24
166048	WW	45	120	4200	88	1,996	C24
166049	WW	45	120	4200	88	1,996	C24
166050	WW	45	120	4200	88	1,996	C24
166051	WW	45	120	4200	88	1,996	C24
166052	WW	45	120	4200	88	1,996	C24
166053	WW	45	120	4200	88	1,996	C24
166054	WW	45	120	4200	88	1,996	C24
166055	WW	45	120	4200	88	1,996	C24
167197	WW	45	220	4200	55	2,287	C24
167198	WW	45	220	4200	55	2,287	C24
167199	WW	45	220	4200	55	2,287	C24
167200	WW	45	220	4200	55	2,287	C24
167201	WW	45	220	4200	55	2,287	C24
167235	WW	45	220	4200	55	2,287	C24
167238	WW	45	220	4200	55	2,287	C24
167280	WW	45	220	4200	55	2,287	C24
167281	WW	45	220	4200	55	2,287	C24
167282	WW	45	220	4200	55	2,287	C24
167283	WW	45	220	4200	55	2,287	C24
167284	WW	45	220	4200	55	2,287	C24
167285	WW	45	220	4200	55	2,287	C24
167286	WW	45	220	4200	55	2,287	C24
167311	WW	45	220	3600	55	1,96	C24
167312	WW	45	220	3600	55	1,96	C24
167313	WW	45	220	3600	55	1,96	C24
167314	WW	45	220	3600	55	1,96	C24
167315	WW	45	220	3600	55	1,96	C24
167316	WW	45	220	3600	55	1,96	C24
167317	WW	45	220	3600	55	1,96	C24
167318	WW	45	220	3600	55	1,96	C24
167319	WW	45	220	3600	55	1,96	C24
167346	WW	45	220	4200	55	2,287	C24
167348	WW	45	220	4200	55	2,287	C24
167352	WW	45	220	4200	55	2,287	C24
167353	WW	45	220	4200	55	2,287	C24
167354	WW	45	220	4200	55	2,287	C24
167355	WW	45	220	4200	55	2,287	C24
167356	WW	45	220	4200	55	2,287	C24
167358	WW	45	220	4200	55	2,287	C24
167367	WW	45	220	3600	55	1,96	C24
167372	WW	45	220	3600	55	1,96	C24
167373	WW	45	220	3600	55	1,96	C24
167387	WW	45	220	4200	55	2,287	C24
167456	WW	45	95	5400	121	2,793	C24
167472	WW	45	170	5400	66	2,726	C24
167560	WW	45	145	4200	77	2,11	C24

167561	WW	45	145	4200	77	2,11	C24
167562	WW	45	145	4200	77	2,11	C24
167563	WW	45	145	4200	77	2,11	C24
167564	WW	45	145	4200	77	2,11	C24
167565	WW	45	145	4200	77	2,11	C24
167568	WW	45	145	4200	77	2,11	C24
167569	WW	45	145	4200	77	2,11	C24
167572	WW	45	145	4200	77	2,11	C24
167573	WW	45	145	4200	77	2,11	C24
167598	WW	45	145	3600	77	1,809	C24
167599	WW	45	145	3600	77	1,809	C24
167609	WW	45	145	3600	77	1,809	C24
167610	WW	45	145	3600	77	1,809	C24
167611	WW	45	145	3600	77	1,809	C24
167612	WW	45	145	3600	77	1,809	C24
167613	WW	45	145	3600	77	1,809	C24
167614	WW	45	145	3600	77	1,809	C24
167615	WW	45	145	3600	77	1,809	C24
167616	WW	45	145	3600	77	1,809	C24
167617	WW	45	145	3600	77	1,809	C24
167618	WW	45	145	3600	77	1,809	C24
167707	WW	45	145	4200	77	2,11	C24
167708	WW	45	145	4200	77	2,11	C24
167709	WW	45	145	4200	77	2,11	C24
167710	WW	45	145	4200	77	2,11	C24
167711	WW	45	145	4200	77	2,11	C24
167716	WW	45	145	4200	77	2,11	C24
167717	WW	45	145	4200	77	2,11	C24
167718	WW	45	145	4200	77	2,11	C24
167719	WW	45	145	4200	77	2,11	C24
167722	WW	45	145	4200	77	2,11	C24
167723	WW	45	145	4200	77	2,11	C24
167725	WW	45	145	4200	77	2,11	C24
167805	WW	45	120	4200	88	1,996	C24
167843	WW	45	145	4200	77	2,11	C24
167844	WW	45	145	4200	77	2,11	C24
167845	WW	45	145	4200	77	2,11	C24
167846	WW	45	145	4200	77	2,11	C24
167847	WW	45	145	4200	77	2,11	C24
167848	WW	45	145	4200	77	2,11	C24
167849	WW	45	145	4200	77	2,11	C24
167850	WW	45	145	4200	77	2,11	C24
167851	WW	45	145	4200	77	2,11	C24
167852	WW	45	145	4200	77	2,11	C24
167853	WW	45	145	4200	77	2,11	C24
167868	WW	45	145	4200	77	2,11	C24
56	RW	45	145	6000	77	3,015	C24
58	RW	45	195	5400	55	2,606	C24

168703	WW	45	95	6000	121	3,104	C24
168713	WW	45	95	6000	121	3,104	C24
168714	WW	45	95	6000	121	3,104	C24
168715	WW	45	95	6000	121	3,104	C24
168716	WW	45	95	6000	121	3,104	C24
168717	WW	45	95	6000	121	3,104	C24
168718	WW	45	95	6000	121	3,104	C24
168719	WW	45	95	6000	121	3,104	C24
168720	WW	45	95	6000	121	3,104	C24
168722	WW	45	95	6000	121	3,104	C24
168723	WW	45	95	6000	121	3,104	C24
168724	WW	45	95	6000	121	3,104	C24
168727	WW	45	95	6000	121	3,104	C24
168730	WW	45	95	6000	121	3,104	C24
168742	WW	45	95	5400	121	2,793	C24
168743	WW	45	95	5400	121	2,793	C24
168744	WW	45	95	5400	121	2,793	C24
168745	WW	45	95	5400	121	2,793	C24
168746	WW	45	95	5400	121	2,793	C24
168747	WW	45	95	5400	121	2,793	C24
168748	WW	45	95	5400	121	2,793	C24
168749	WW	45	95	5400	121	2,793	C24
168750	WW	45	95	5400	121	2,793	C24
168751	WW	45	95	5400	121	2,793	C24
168752	WW	45	95	5400	121	2,793	C24
168753	WW	45	95	5400	121	2,793	C24
168754	WW	45	95	5400	121	2,793	C24
168755	WW	45	95	5400	121	2,793	C24
168756	WW	45	95	5400	121	2,793	C24
168757	WW	45	95	5400	121	2,793	C24
168758	WW	45	95	5400	121	2,793	C24
168759	WW	45	95	5400	121	2,793	C24
168760	WW	45	95	5400	121	2,793	C24
168763	WW	45	95	5400	121	2,793	C24
168765	WW	45	95	5400	121	2,793	C24
168770	WW	45	95	5400	121	2,793	C24
168771	WW	45	95	5400	121	2,793	C24
168772	WW	45	95	5400	121	2,793	C24
169774	WW	45	220	6000	55	3,267	C24
169791	WW	45	220	6000	55	3,267	C24
169817	WW	45	220	6000	55	3,267	C24
169823	WW	45	220	6000	55	3,267	C24
169824	WW	45	220	6000	55	3,267	C24
169826	WW	45	220	6000	55	3,267	C24
169990	WW	45	220	4200	55	2,287	C24
171301	RW	45	120	4200	88	1,996	C24
171302	RW	45	120	4200	88	1,996	C24
171303	RW	45	120	4200	88	1,996	C24

171304	RW	45	120	4200	88	1,996	C24
171437	WW	45	145	4200	77	2,11	C24
171438	WW	45	145	4200	77	2,11	C24
171439	WW	45	145	4200	77	2,11	C24
171582	RW	45	245	3600	44	1,746	C24
171583	RW	45	245	3600	44	1,746	C24
171584	RW	45	245	3600	44	1,746	C24
171585	RW	45	245	3600	44	1,746	C24
171586	RW	45	245	3600	44	1,746	C24
171587	RW	45	245	3600	44	1,746	C24
171590	RW	45	245	3600	44	1,746	C24
171591	RW	45	245	3600	44	1,746	C24
171619	WW	45	245	4200	44	2,037	C24
171620	WW	45	245	4200	44	2,037	C24
171621	WW	45	245	4200	44	2,037	C24
171631	WW	45	245	3600	44	1,746	C24
32804	WW	45	245	2400	18	0,476	C24
171810	WW	45	220	5400	55	2,94	C24
171811	WW	45	220	5400	55	2,94	C24
171812	WW	45	220	5400	55	2,94	C24
172747	RW	45	195	3000	55	1,448	C24
172748	RW	45	195	3000	55	1,448	C24
33619	RW	45	220	4200	20	0,832	C24
33620	RW	45	220	3600	25	0,891	C24
33639	RW	45	170	5400	58	2,396	C24
33640	RW	45	170	4200	28	0,9	C24
33641	RW	45	170	3600	56	1,542	C24
33642	RW	45	170	3000	63	1,446	C24
33643	RW	45	170	2400	53	0,973	C24
33649	WW	45	170	5400	42	1,735	C24
33650	WW	45	170	4800	26	0,955	C24
33652	WW	45	170	3600	23	0,633	C24
33653	WW	45	170	3000	22	0,505	C24
33654	WW	45	170	2400	29	0,532	C24
172996	RW	45	145	2400	77	1,206	C24
173248	RW	45	170	4800	66	2,424	C24
173249	RW	45	170	4800	66	2,424	C24
34405	RW	45	70	6000	139	2,627	C24
34426	RW	45	70	4800	111	1,678	C24
173685	WW	45	120	4200	88	1,996	C24
173694	WW	45	120	4200	88	1,996	C24
173695	WW	45	120	4200	88	1,996	C24
173696	WW	45	120	4200	88	1,996	C24
34441	RW	45	70	3600	70	0,794	C24
34442	RW	45	70	3000	75	0,709	C24
173793	WW	45	120	4200	88	1,996	C24
173795	WW	45	120	4200	88	1,996	C24
173796	WW	45	120	4200	88	1,996	C24

173878	RW	45	120	4200	88	1,996	C24
173880	RW	45	120	4200	88	1,996	C24
173882	RW	45	120	4200	88	1,996	C24
34589	RW	45	70	2400	101	0,764	C24
34633	RW	45	170	5400	4	0,165	C24
34634	RW	45	170	6000	23	1,056	C24
34635	RW	45	170	4800	36	1,322	C24
34636	RW	45	170	4200	36	1,157	C24
34637	RW	45	170	3600	58	1,597	C24
34638	RW	45	170	3000	58	1,331	C24
34929	RW	45	120	2400	16	0,207	C24
34930	RW	45	120	3000	26	0,421	C24
34931	RW	45	120	3600	21	0,408	C24
34932	RW	45	120	4200	16	0,363	C24
174781	WW	45	70	4200	165	2,183	C24
174782	WW	45	70	4200	165	2,183	C24
174790	WW	45	70	4200	165	2,183	C24
174791	WW	45	70	4200	165	2,183	C24
174792	WW	45	70	4200	165	2,183	C24
174793	WW	45	70	4200	165	2,183	C24
174796	WW	45	70	4200	165	2,183	C24
174797	WW	45	70	4200	165	2,183	C24
174798	WW	45	70	4200	165	2,183	C24
174799	WW	45	70	4200	165	2,183	C24
174800	WW	45	70	4200	165	2,183	C24
174801	WW	45	70	4200	165	2,183	C24
174806	WW	45	70	5400	165	2,807	C24
174807	WW	45	70	5400	165	2,807	C24
174808	WW	45	70	5400	165	2,807	C24
174809	WW	45	70	5400	165	2,807	C24
174810	WW	45	70	5400	165	2,807	C24
174811	WW	45	70	5400	165	2,807	C24
174812	WW	45	70	5400	165	2,807	C24
174813	WW	45	70	5400	165	2,807	C24
174814	WW	45	70	5400	165	2,807	C24
174815	WW	45	70	5400	165	2,807	C24
174816	WW	45	70	5400	165	2,807	C24
174833	WW	45	70	4200	165	2,183	C24
174834	WW	45	70	4200	165	2,183	C24
174835	WW	45	70	4200	165	2,183	C24
35378	WW	45	45	4800	172	1,672	C24
35384	WW	45	45	3000	131	0,796	C24
35386	WW	45	45	2400	212	1,03	C24
35388	WW	45	45	4200	188	1,599	C24
35410	WW	45	95	5400	52	1,2	C24
35435	RW	45	195	3600	36	1,137	C24
35436	RW	45	195	3000	23	0,605	C24
35437	RW	45	195	2400	35	0,737	C24

174918	WW	45	195	2400	55	1,158	C24
175023	WW	45	145	4200	77	2,11	C24
175024	WW	45	145	4200	77	2,11	C24
175049	WW	45	145	4200	77	2,11	C24
175050	WW	45	145	4200	77	2,11	C24
175052	WW	45	145	4200	77	2,11	C24
175053	WW	45	145	4200	77	2,11	C24
175056	WW	45	145	4200	77	2,11	C24
175145	WW	45	145	4200	77	2,11	C24
175146	WW	45	145	4200	77	2,11	C24
175147	WW	45	145	4200	77	2,11	C24
175148	WW	45	145	4200	77	2,11	C24
175149	WW	45	145	4200	77	2,11	C24
175150	WW	45	145	4200	77	2,11	C24
175151	WW	45	145	4200	77	2,11	C24
175157	WW	45	145	4200	77	2,11	C24
175159	WW	45	145	4200	77	2,11	C24
175201	RW	45	120	4200	88	1,996	C24
175202	RW	45	120	4200	88	1,996	C24
175203	RW	45	120	4200	88	1,996	C24
175204	RW	45	120	4200	88	1,996	C24
175205	RW	45	120	4200	88	1,996	C24
175206	RW	45	120	4200	88	1,996	C24
175207	RW	45	120	4200	88	1,996	C24
175208	RW	45	120	4200	88	1,996	C24
35826	RW	45	120	4200	71	1,61	C24
175249	RW	45	120	5400	88	2,566	C24
175250	RW	45	120	5400	88	2,566	C24
175251	RW	45	120	4200	88	1,996	C24
175252	RW	45	120	4200	88	1,996	C24
175253	RW	45	120	4200	88	1,996	C24
175254	RW	45	120	4200	88	1,996	C24
175255	RW	45	120	4200	88	1,996	C24
175256	RW	45	120	4200	88	1,996	C24
175257	RW	45	120	4200	88	1,996	C24
175258	RW	45	120	4200	88	1,996	C24
175259	RW	45	120	4200	88	1,996	C24
35870	RW	45	120	3600	59	1,147	C24
175400	RW	45	95	3600	121	1,862	C24
175401	RW	45	95	3600	121	1,862	C24
175402	RW	45	95	3600	121	1,862	C24
175428	RW	45	95	3600	121	1,862	C24
175430	RW	45	95	3600	121	1,862	C24
175431	RW	45	95	3600	121	1,862	C24
175432	RW	45	95	3600	121	1,862	C24
175434	RW	45	95	3600	121	1,862	C24
175435	RW	45	95	3600	121	1,862	C24
175438	RW	45	95	3600	121	1,862	C24

175446	RW	45	95	3600	121	1,862	C24
175447	RW	45	95	3600	121	1,862	C24
175449	RW	45	95	3600	121	1,862	C24
175467	RW	45	220	3000	55	1,633	C24
175468	RW	45	220	3000	55	1,633	C24
175518	RW	45	220	3600	55	1,96	C24
175519	RW	45	220	3600	55	1,96	C24
35988	RW	45	220	4200	33	1,372	C24
175599	RW	45	220	5400	55	2,94	C24
175600	RW	45	220	5400	55	2,94	C24
175601	RW	45	220	5400	55	2,94	C24
175602	RW	45	220	5400	55	2,94	C24
175603	RW	45	220	5400	55	2,94	C24
175604	RW	45	220	5400	55	2,94	C24
175605	RW	45	220	5400	55	2,94	C24
175606	RW	45	220	5400	55	2,94	C24
35995	RW	45	220	5400	25	1,336	C24
35997	RW	45	220	3600	31	1,105	C24
35998	RW	45	220	3000	34	1,01	C24
35999	RW	45	220	2400	44	1,045	C24
175732	RW	45	245	4800	44	2,328	C24
36044	RW	45	170	4200	48	1,542	C24
175733	RW	45	245	4200	44	2,037	C24
175734	RW	45	245	4200	44	2,037	C24
175735	RW	45	245	4200	44	2,037	C24
36053	RW	45	170	3600	51	1,405	C24
36057	RW	45	245	4800	13	0,688	C24
36058	RW	45	245	3600	39	1,548	C24
36059	RW	45	245	3000	8	0,265	C24
36060	RW	45	245	2400	27	0,714	C24
175762	WW	45	245	4800	44	2,328	C24
175763	WW	45	245	4800	44	2,328	C24
175765	WW	45	245	4800	44	2,328	C24
175766	WW	45	245	4800	44	2,328	C24
36062	RW	45	170	6000	38	1,744	C24
175778	WW	45	245	4200	44	2,037	C24
175779	WW	45	245	4200	44	2,037	C24
36065	RW	45	170	4800	48	1,763	C24
36066	RW	45	170	4200	12	0,386	C24
175785	WW	45	245	4200	44	2,037	C24
36077	WW	45	245	3000	35	1,158	C24
175793	RW	45	170	3000	66	1,515	C24
36078	RW	45	170	3000	47	1,079	C24
36079	WW	45	170	3000	38	0,872	C24
175903	WW	45	220	4200	55	2,287	C24
175904	WW	45	220	4200	55	2,287	C24
175905	WW	45	220	4200	55	2,287	C24
175906	WW	45	220	4200	55	2,287	C24

175907	WW	45	220	4200	55	2,287	C24
175908	WW	45	220	4200	55	2,287	C24
175909	WW	45	220	4200	55	2,287	C24
175910	WW	45	220	4200	55	2,287	C24
175911	WW	45	220	4200	55	2,287	C24
175912	WW	45	220	4200	55	2,287	C24
175913	WW	45	220	4200	55	2,287	C24
175914	WW	45	220	4200	55	2,287	C24
175916	WW	45	220	4200	55	2,287	C24
175917	WW	45	220	4200	55	2,287	C24
175918	WW	45	220	4200	55	2,287	C24
175919	WW	45	220	4200	55	2,287	C24
175920	WW	45	220	4200	55	2,287	C24
175922	WW	45	220	4200	55	2,287	C24
175923	WW	45	220	4200	55	2,287	C24
175924	WW	45	220	4200	55	2,287	C24
175925	WW	45	220	4200	55	2,287	C24
175932	WW	45	220	4200	55	2,287	C24
175938	WW	45	220	3600	55	1,96	C24
175939	WW	45	220	3600	55	1,96	C24
175942	WW	45	220	3600	55	1,96	C24
175964	WW	45	220	4200	55	2,287	C24
36108	WW	45	220	3000	35	1,04	C24
175971	WW	45	220	5400	55	2,94	C24
175972	WW	45	220	5400	55	2,94	C24
175973	WW	45	220	5400	55	2,94	C24
175974	WW	45	220	6000	55	3,267	C24
175975	WW	45	220	6000	55	3,267	C24
175976	WW	45	220	6000	55	3,267	C24
175980	WW	45	220	6000	55	3,267	C24
175981	WW	45	220	6000	55	3,267	C24
175982	WW	45	220	6000	55	3,267	C24
175983	WW	45	220	6000	55	3,267	C24
175984	WW	45	220	6000	55	3,267	C24
175985	WW	45	220	6000	55	3,267	C24
175986	WW	45	220	6000	55	3,267	C24
36124	WW	45	220	6000	7	0,416	C24
36125	WW	45	220	5400	19	1,016	C24
36126	WW	45	220	2400	28	0,665	C24
36128	WW	45	220	3600	6	0,214	C24
36150	WW	45	120	4200	53	1,202	C24
36151	WW	45	120	3600	40	0,778	C24
36152	WW	45	120	3000	46	0,745	C24
36153	WW	45	120	2400	72	0,933	C24
36154	WW	45	120	5400	36	1,05	C24
176070	RW	45	120	5400	88	2,566	C24
36245	RW	45	120	5400	14	0,408	C24
36246	RW	45	120	6000	87	2,819	C24

36247	RW	45	120	4800	79	2,048	C24
176071	RW	45	120	4200	88	1,996	C24
176072	RW	45	120	4200	88	1,996	C24
36248	RW	45	120	4200	56	1,27	C24
36263	RW	45	120	3000	63	1,021	C24
176081	RW	45	120	2400	88	1,14	C24
36266	RW	45	120	2400	34	0,441	C24
36288	RW	45	120	4200	23	0,522	C24
36291	RW	45	120	3600	51	0,991	C24
36293	RW	45	120	3000	38	0,616	C24
36479	WW	45	70	5400	32	0,544	C24
36480	WW	45	70	4800	73	1,104	C24
36482	WW	45	70	4200	156	2,064	C24
36484	WW	45	70	3600	135	1,531	C24
36489	WW	45	70	3000	73	0,69	C24
36490	WW	45	70	2400	60	0,454	C24
36498	RW	45	95	6000	92	2,36	C24
36499	RW	45	95	5400	52	1,2	C24
36505	RW	45	95	3600	58	0,893	C24
36507	RW	45	95	3000	81	1,039	C24
176334	RW	45	195	5400	55	2,606	C24
176335	RW	45	195	5400	55	2,606	C24
176336	RW	45	195	5400	55	2,606	C24
176337	RW	45	195	5400	55	2,606	C24
176338	RW	45	195	5400	55	2,606	C24
36559	RW	45	195	6000	52	2,738	C24
36650	RW	45	70	4800	146	2,208	C24
36652	RW	45	70	3600	30	0,34	C24
36653	RW	45	70	2400	75	0,567	C24
36660	WW	45	145	6000	66	2,584	C24
176512	WW	45	145	4200	77	2,11	C24
176513	WW	45	145	4200	77	2,11	C24
176514	WW	45	145	4200	77	2,11	C24
36663	WW	45	145	4200	51	1,398	C24
36690	RW	45	145	4200	14	0,384	C24
36692	RW	45	145	3000	64	1,253	C24
36693	RW	45	145	2400	16	0,251	C24
36704	RW	45	45	4800	25	0,243	C24
36705	RW	45	45	4200	80	0,68	C24
36706	RW	45	45	3600	230	1,677	C24
36707	RW	45	45	3000	34	0,207	C24
36708	RW	45	45	2400	72	0,35	C24
36710	WW	45	45	3600	236	1,72	C24
36745	WW	45	120	4800	18	0,467	C24
36764	RW	45	120	4200	46	1,043	C24
36955	WW	45	195	3600	36	1,137	C24
36959	WW	45	195	2400	40	0,842	C24
36961	WW	45	195	3600	22	0,695	C24

37082	WW	45	95	6000	101	2,591	C24
177476	RW	45	70	2400	165	1,247	C24
177477	RW	45	70	2400	165	1,247	C24
177478	RW	45	70	2400	165	1,247	C24
177479	RW	45	70	2400	165	1,247	C24
177489	RW	45	195	3600	55	1,737	C24
177490	RW	45	195	3600	55	1,737	C24
177491	RW	45	195	3600	55	1,737	C24
177495	RW	45	195	3600	55	1,737	C24
177496	RW	45	195	3600	55	1,737	C24
177497	RW	45	195	3600	55	1,737	C24
37096	RW	45	70	2400	49	0,37	C24
37098	RW	45	120	3600	49	0,953	C24
37099	RW	45	195	4200	29	1,069	C24
37100	RW	45	70	4200	53	0,701	C24
177505	RW	45	195	3600	55	1,737	C24
177510	RW	45	195	3000	55	1,448	C24
177511	RW	45	195	3000	55	1,448	C24
37114	RW	45	195	2400	50	1,053	C24
37115	RW	45	195	3000	7	0,184	C24
37118	RW	45	195	5400	33	1,564	C24
177556	RW	45	170	3000	66	1,515	C24
177557	RW	45	170	3000	66	1,515	C24
177558	RW	45	170	3000	66	1,515	C24
177559	RW	45	170	3000	66	1,515	C24
177560	RW	45	170	3000	66	1,515	C24
177561	RW	45	170	3000	66	1,515	C24
37138	WW	45	195	3000	22	0,579	C24
177649	RW	45	145	4200	77	2,11	C24
177654	RW	45	145	4200	77	2,11	C24
37259	RW	45	195	3600	4	0,126	C24
177928	RW	45	145	6000	55	2,153	C24
37435	WW	45	220	3000	10	0,297	C24
37457	RW	45	145	2400	7	0,11	C24
37509	WW	45	195	4200	41	1,511	C24
37511	WW	45	195	3600	18	0,569	C24
177997	WW	45	195	3000	55	1,448	C24
37515	WW	45	195	3000	51	1,343	C24
37524	WW	45	220	6000	21	1,247	C24
37525	WW	45	220	5400	35	1,871	C24
178006	WW	45	220	2400	55	1,307	C24
37535	WW	45	220	2400	33	0,784	C24
37582	RW	45	145	4200	58	1,589	C24
178133	WW	45	195	2400	55	1,158	C24
37611	RW	45	145	2400	63	0,987	C24
37612	RW	45	145	3000	59	1,155	C24
37614	RW	45	145	4200	37	1,014	C24
37627	RW	45	170	5400	52	2,148	C24

37652	WW	45	220	4200	24	0,998	C24
37704	RW	45	45	2400	232	1,128	C24
178337	WW	45	120	4200	88	1,996	C24
178338	WW	45	120	4200	88	1,996	C24
178339	WW	45	120	4200	88	1,996	C24
178340	WW	45	120	4200	88	1,996	C24
178341	WW	45	120	4200	88	1,996	C24
178342	WW	45	120	4200	88	1,996	C24
178343	WW	45	120	4200	88	1,996	C24
37788	WW	45	120	2400	24	0,311	C24
37793	WW	45	120	3000	15	0,243	C24
37796	WW	45	120	3600	42	0,816	C24
37802	WW	45	120	4200	27	0,612	C24
178417	WW	45	70	4200	165	2,183	C24
178418	WW	45	70	4200	165	2,183	C24
178419	WW	45	70	4200	165	2,183	C24
178420	WW	45	70	4200	165	2,183	C24
37837	WW	45	70	3600	42	0,476	C24
178424	WW	45	70	4200	165	2,183	C24
178425	WW	45	70	4200	165	2,183	C24
178426	WW	45	70	4200	165	2,183	C24
178427	WW	45	70	4200	165	2,183	C24
178428	WW	45	70	4200	165	2,183	C24
37863	RW	45	195	6000	35	1,843	C24
37872	WW	45	70	2400	32	0,242	C24
37873	WW	45	70	3000	140	1,323	C24
37874	WW	45	70	5400	119	2,024	C24
37875	WW	45	70	4200	63	0,833	C24
37876	WW	45	70	4800	33	0,499	C24
37878	RW	45	70	2400	127	0,96	C24
37879	RW	45	70	3000	24	0,227	C24
37914	RW	45	195	6000	27	1,422	C24
37993	WW	45	70	3600	105	1,191	C24
38079	WW	45	220	3600	30	1,069	C24
38080	WW	45	95	6000	22	0,564	C24
178627	RW	45	70	4800	165	2,495	C24
38089	WW	45	220	6000	35	2,079	C24
38090	WW	45	95	3600	165	2,539	C24
38138	RW	45	145	4200	56	1,535	C24
38168	WW	45	220	5400	18	0,962	C24
38268	RW	45	70	3000	53	0,501	C24
178790	RW	45	70	2400	165	1,247	C24
178791	RW	45	70	2400	165	1,247	C24
178792	RW	45	70	2400	165	1,247	C24
178793	RW	45	70	2400	165	1,247	C24
178794	RW	45	70	2400	165	1,247	C24
178795	RW	45	70	2400	165	1,247	C24
38271	RW	45	70	2400	118	0,892	C24

38272	WW	45	70	3000	115	1,087	C24
38293	RW	45	170	6000	54	2,479	C24
38321	RW	45	95	6000	79	2,026	C24
38322	RW	45	95	5400	98	2,262	C24
38326	RW	45	95	3000	42	0,539	C24
38327	RW	45	95	2400	34	0,349	C24
38328	WW	45	95	5400	110	2,539	C24
38358	WW	45	95	5400	75	1,731	C24
38360	WW	45	95	3000	56	0,718	C24
38361	WW	45	95	2400	74	0,759	C24
178970	RW	45	95	4800	121	2,483	C24
178971	RW	45	95	4800	121	2,483	C24
178972	RW	45	95	4800	121	2,483	C24
178973	RW	45	95	4800	121	2,483	C24
178974	RW	45	95	4800	121	2,483	C24
178975	RW	45	95	4800	121	2,483	C24
178976	RW	45	95	4800	121	2,483	C24
178977	RW	45	95	4800	121	2,483	C24
178978	RW	45	95	4800	121	2,483	C24
178979	RW	45	95	4800	121	2,483	C24
178980	RW	45	95	4800	121	2,483	C24
178981	RW	45	95	4800	121	2,483	C24
178982	RW	45	95	4800	121	2,483	C24
178983	RW	45	95	4800	121	2,483	C24
178984	RW	45	95	4800	121	2,483	C24
178985	RW	45	95	4800	121	2,483	C24
178986	RW	45	95	4800	121	2,483	C24
178987	RW	45	95	4800	121	2,483	C24
178988	RW	45	95	4800	121	2,483	C24
38363	RW	45	95	4800	41	0,841	C24
179121	RW	45	170	4800	66	2,424	C24
179122	RW	45	170	4800	66	2,424	C24
179123	RW	45	170	4800	66	2,424	C24
179124	RW	45	170	4800	66	2,424	C24
179126	RW	45	170	4800	66	2,424	C24
179127	RW	45	170	4800	66	2,424	C24
179128	RW	45	170	4800	66	2,424	C24
179129	RW	45	170	4800	66	2,424	C24
179131	RW	45	170	4800	66	2,424	C24
38448	RW	45	170	4800	43	1,579	C24
38449	RW	45	170	4200	8	0,257	C24
38451	RW	45	170	3000	59	1,354	C24
38462	WW	45	70	2400	96	0,726	C24
38473	WW	45	45	2400	83	0,403	C24
38474	WW	45	45	3000	83	0,504	C24
38530	WW	45	95	2400	25	0,257	C24
179245	RW	45	95	2400	121	1,241	C24
179246	RW	45	95	2400	121	1,241	C24

38552	RW	45	95	2400	114	1,17	C24
179281	WW	45	170	4800	66	2,424	C24
179282	WW	45	170	4800	66	2,424	C24
179283	WW	45	170	4800	66	2,424	C24
179284	WW	45	170	4800	66	2,424	C24
179285	WW	45	170	4800	66	2,424	C24
179286	WW	45	170	4800	66	2,424	C24
179287	WW	45	170	4800	66	2,424	C24
179288	WW	45	170	4800	66	2,424	C24
179289	WW	45	170	4800	66	2,424	C24
179290	WW	45	170	4800	66	2,424	C24
179291	WW	45	170	4800	66	2,424	C24
179292	WW	45	170	4800	66	2,424	C24
179293	WW	45	170	4800	66	2,424	C24
179294	WW	45	170	4800	66	2,424	C24
179295	WW	45	170	4800	66	2,424	C24
179296	WW	45	170	4800	66	2,424	C24
179297	WW	45	170	4800	66	2,424	C24
38569	WW	45	170	6000	63	2,892	C24
179298	WW	45	170	5400	66	2,726	C24
38570	WW	45	170	5400	12	0,496	C24
179301	WW	45	170	4800	66	2,424	C24
179302	WW	45	170	4800	66	2,424	C24
38607	WW	45	170	4800	58	2,13	C24
38608	WW	45	170	4200	28	0,9	C24
38609	WW	45	170	3600	49	1,349	C24
38611	WW	45	170	3000	55	1,262	C24
38612	WW	45	170	2400	34	0,624	C24
38651	RW	45	95	3000	34	0,436	C24
179397	RW	45	70	2400	165	1,247	C24
179398	RW	45	70	2400	165	1,247	C24





